



Deck

NOTE:

1. Pressure Treated (PT) Lumber is required
2. Follow span table attached, for #2 PT lumber 60 lbs load



4. Galvanized lags and washers in each joist bay
5. Joist hangers are required.



7. Refer to span table text notes for exterior deck framing
8. Beams inserted under decks may reduce joist size.

Spacing O/C	Joist Size		
	2 X 8	2 X 10	2 X 12
12"	12' 9"	15' 7"	18' 2"
16"	11' 5"	14' 6"	17' 10"
24"	9' 4"	11' 0"	12' 10"